


TABLE 1

n	PART NUMBER	A	B
4	HKP-4M29	2.54	5.68
6	HKP-6M29	5.08	8.22
8	HKP-8M29	7.62	10.76
10	HKP-10M29	10.16	13.30
12	HKP-12M29	12.70	15.84
14	HKP-14M29	15.24	18.38
16	HKP-16M29	17.78	20.92
18	HKP-18M29	20.32	23.46
20	HKP-20M29	22.86	26.00
22	HKP-22M29	25.40	28.54
24	HKP-24M29	27.94	31.08
26	HKP-26M29	30.48	33.62
28	HKP-28M29	33.02	36.16
30	HKP-30M29	35.56	38.70
32	HKP-32M29	38.10	41.24
34	HKP-34M29	40.64	43.78
36	HKP-36M29	43.18	46.32
38	HKP-38M29	45.72	48.86
40	HKP-40M29	48.26	51.40
42	HKP-42M29	50.80	53.94
44	HKP-44M29	53.34	56.48
46	HKP-46M29	55.88	59.02
48	HKP-48M29	58.42	61.56
50	HKP-50M29	60.96	64.10
52	HKP-52M29	63.50	66.64
54	HKP-54M29	66.04	69.18
56	HKP-56M29	68.58	71.72
58	HKP-58M29	71.12	74.26
60	HKP-60M29	73.66	76.80
62	HKP-62M29	76.20	79.34
64	HKP-64M29	78.74	81.88
66	HKP-66M29	81.28	84.42
68	HKP-68M29	83.82	86.96
70	HKP-70M29	86.36	89.50

NOTE 1. "n" SHOWS NUMBER OF CONTACTS.
 2. THERE IS NO PART NO. MARKING ON 4 AND 6 POS. CONNECTORS.



RECOMMENDED PCB LAYOUT
 PCB THICKNESS t=1.6

③									
②				2	CONTACT	PHOSPHOR BRONZE	n	GOLD	
①	MAY.18.2001	K. N	REVISE	1	INSULATOR	PBT	1		UL94V-0 BLACK
LTR.	DATE	BY	REV. DESCRIPT	No.	PART NAME	MATERIAL	QTY	FINISH	NOTE
DATE MAY.17 (2001)				SCALE 2/1	UNIT mm (INCH)	3RD. A. P			
APP. DATE&REV.				HONDA TSUSHIN KOGYO CO., LTD.					
DR.	DE.	CHK.	CHK.	APP.	NAME	MALE CONNECTOR			
K. NISHIMAE	K. NISHIMAE	—	Y. KATO	H. EBIHARA	PART NO.	HKP- () M29			REV. 1A